

Be Confident with Sustained Accuracy Over Time

Neptune® MACH 10® Ultrasonic Meter



The MACH 10® ultrasonic water meter features solid state metrology with no degradation of accuracy over time. Combined with a corrosion-resistant, lead-free, high-copper alloy maincase, the MACH 10 is built to withstand demanding service conditions and deliver sustained accuracy over the life of the meter.

- Sizes 1½" and 2"
- Extended low-flow range and accuracy
- No maintenance
- Accuracy sustained over meter life
- Advanced ultrasonic technology
- MACH 10®)R900™ seamlessly integrates R900® radio for easy installation

Specifications

AWWA C750 Compliant

AWWA C715 Compliant

NSF/ANSI 61 Certified

Application

- Cold water measurement of flow in potable and reclaim/secondary water applications.

Maximum Operating Water Pressure

- 175 psi

Operating Water Temperature Range

- +33°F to +122°F (+0.5°C to +50°C)

Options

Sizes

- 1½"
- 2"

Units of Measure

- U.S. gallons, Imperial gallons, cubic feet, cubic meters

Meter Options

- Potable water
- Reclaim water

Environmental Conditions

- Operating temperature: +14°F to +149°F (-10°C to +65°C)
- Storage temperature: -40°F to +158°F (-40°C to +70°C)

Warranty

- Neptune provides a limited warranty with respect to its MACH 10 line of ultrasonic meters for performance, materials, and workmanship.

AMR/AMI Compatibility

- All MACH 10 ultrasonic meters provide ProRead™, E-CODER® 8-digit, and E-CoderPLUS protocols to interface with Neptune and third-party AMR/AMI meter reading systems.

Operating Characteristics

Meter Size	Normal Operating Range @ 100% Accuracy (+/- 1.5%)	Safe Maximum Operating Capacity	Extended Low Flow @ 100% Accuracy (+/- 3.0%)
1½"	0.80 to 125 U.S. gpm	125 U.S. gpm	0.30 U.S. gpm
2"	1.50 to 160 U.S. gpm	160 U.S. gpm	0.50 U.S. gpm


Dimensions

Meter Size	Length	Height	Flanges
1½"	10"	6¼"	Oval
	13"	6¼"	Oval
	12⅝"	6¼"	Internal Thread
	12⅝"	6¼"	External Thread
2"	10"	6½"	Oval
	15¼"	6½"	Oval
	17"	6½"	Oval
	15¼"	6½"	Internal Thread
	15¼"	6½"	External Thread


Registration

High Resolution (8-digit reading)		1½"	2"
1	U.S. Gallons	√	√
1	Imperial Gallons	√	√
0.1	Cubic Feet	√	√
0.01	Cubic Meters	√	√

LCD Display



Pressure Loss



neptunetg.com

Neptune Technology Group
1600 Alabama Highway 229
Tallahassee, AL 36078
800-633-8754 f 334-283-7293